

PATENT
Attorney Docket No.: 30545.11
Customer No.: 000027683

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Harold O. Treece

Serial No.: 09/970,432

Filed: 10/03/2001

For: UNIVERSAL CEMENTING PLUG

§
§
§
§
§
§
§

Confirmation No.: 4315

Examiner: C. Novosad

Art Unit: 3641

Mail Stop Amendment

Commissioner For Patents

P. O. Box 1450

Alexandria, VA 22313-1450

I hereby certify that this paper is being filed with the U.S.
Patent and Trademark Office via EFS-Web on the date shown
below.

Date: _____

April 13, 2009

Ellen Lovelace

Ellen Lovelace

AMENDMENT AND RESPONSE TO OFFICE ACTION
MAILED FEBRUARY 3, 2009

I. INTRODUCTORY COMMENTS

The present paper is submitted in response to the Office Action mailed February 3, 2009 in connection with the above-identified patent application, having a shortened statutory period for response of three months, which expires on May 3, 2009.

Should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for the filing of the present document, including those for an extension of time, the Commissioner is hereby authorized to charge such fees to Haynes and Boone, LLP's, Deposit Account No. 08-1394.

Amendments to the Claims begin on page 2 of this paper.

Remarks/Arguments begin on page 15 of this paper.